according to 29 CFR 1910.1200(g)

## SilOil, M80.100/250.03

Revision date: 07/21/2023

1. Identification

### Product identifier

SilOil, M80.100/250.03

## Recommended use of the chemical and restrictions on use

#### Use of the substance/mixture

Heat transfer oil / cold transfer oil

## Uses advised against

Any non-intended use.

### Details of the supplier of the safety data sheet

Company name:	Huber USA Inc.
Street:	1101 Nowell Rd Suite 110
Place:	USA-NC 27607 Raleigh
Telephone:	800-726-4877
E-mail:	info@huber-online.com
Internet:	www.huber-usa.com
Emergency phone number:	Toll Free: 1-800-424-9300; Local: +1-703-527-3887

- · · · -

## 2. Hazard(s) identification

## **Classification of the chemical**

#### 29 CFR Part 1910.1200

This mixture is not classified as hazardous in accordance with Regulation 29 CFR 1910.1200(d).

## Label elements

Additional advice on labelling

# Label elements GHS: None

## Hazards not otherwise classified

No risks worthy of mention. Please observe the information on the safety data sheet at all times.

## 3. Composition/information on ingredients

#### **Mixtures**

### Chemical characterization

The product does not contain dangerous substances to be mentioned in Chapter 3.

#### Hazardous components

none (according to 29 CFR 1910.1200(g))

## 4. First-aid measures

### **Description of first aid measures**

### **General information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

#### After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of respiratory tract irritation, consult a physician.

## After contact with skin

Gently wash with plenty of soap and water. Remove contaminated clothing immediately. In case of skin irritation consult a doctor.

Page 1 of 10

according to 29 CFR 1910.1200(g)

## SilOil, M80.100/250.03

Revision date: 07/21/2023

#### After contact with eyes

Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes. In case of troubles or persistent symptoms, consult an ophthalmologist.

#### After ingestion

Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting. In all cases of doubt, or when symptoms persist, seek medical advice.

## Most important symptoms and effects, both acute and delayed

See sections 2 and 11

#### Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## 5. Fire-fighting measures

## Extinguishing media

#### Suitable extinguishing media

Carbon dioxide (CO2). Dry extinguishing powder. Alcohol resistant foam. Atomized water. Sand.

#### Unsuitable extinguishing media

High power water jet.

#### Specific hazards arising from the chemical

Can be released in case of fire: Carbon monoxide. Carbon dioxide (CO2). Silicon dioxide (SiO2).

#### Special protective equipment and precautions for fire-fighters

In case of fire: Wear self-contained breathing apparatus. Wear chemical resistant suit.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Co-ordinate fire-fighting measures to the fire surroundings.

#### 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

#### General advice

See protective measures under point 7 and 8.

## For non-emergency personnel

Wear personal protection equipment (refer to section 8).

#### For emergency responders

No special measures are necessary.

#### Environmental precautions

Discharge into the environment must be avoided. Prevent spread over a wide area (e.g. by containment or oil barriers).

#### Methods and material for containment and cleaning up

## For containment

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

### For cleaning up

Clean contaminated objects and areas thoroughly observing environmental regulations.

#### Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

## 7. Handling and storage

Page 2 of 10

according to 29 CFR 1910.1200(g)

## SilOil, M80.100/250.03

Revision date: 07/21/2023

Page 3 of 10

## Precautions for safe handling

#### Advice on safe handling

Wear suitable protective clothing. (See section 8.)

## Advice on protection against fire and explosion

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Take precautionary measures against static discharge. Usual measures for fire prevention.

#### Advice on general occupational hygiene

Always close containers tightly after the removal of product. When using do not eat, drink or smoke. Wash hands before breaks and after work.

#### Further information on handling

General protection and hygiene measures: See section 8. Vapors / aerosols must be extracted by suction immediately at point of origin.

### Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

#### Hints on joint storage

Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances. Food and animal feedingstuff.

#### Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity.

Recommended storage temperature: 20 °C

Protect against: frost. UV-radiation/sunlight. heat. Humidity

#### 8. Exposure controls/personal protection

## **Control parameters**

#### Additional advice on limit values

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

#### Exposure controls

#### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

Provide adequate ventilation.

### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Wear safety glasses; chemical goggles (if splashing is possible). Standards: EN 166 or 29 CFR 1910.133

#### Hand protection

In case of prolonged or frequently repeated skin contact: Wear suitable gloves. Suitable material: FKM (fluororubber). - Thickness of the glove material 0,4 mm Breakthrough time >= 8 h Butyl rubber. - Thickness of the glove material 0,5 mm Breakthrough time >= 8 h CR (polychloroprenes, Chloroprene rubber). - Thickness of the glove material 0,5 mm Breakthrough time >= 8 h NBR (Nitrile rubber). - Thickness of the glove material 0,35 mm Breakthrough time >= 8 h PVC (Polyvinyl chloride). - Thickness of the glove material 0,5 mm Breakthrough time >= 8 h

according to 29 CFR 1910.1200(g)

## SilOil, M80.100/250.03

Revision date: 07/21/2023

The selected protective gloves should satisfy the specifications of standards like EN 374. Before using check leak tightness / impermeability. In the case of wanting to use the gloves again, clean them before taking off and air them well.

## Skin protection

Suitable protective clothing: Lab apron.

## **Respiratory protection**

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

Exceeding exposure limit values

Suitable respiratory protective equipment: half-mask with filter EN 149 or 29 CFR 1910.134 .

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

#### Environmental exposure controls

No special precautionary measures are necessary.

## 9. Physical and chemical properties

#### Information on basic physical and chemical properties

Information on basic physical and chemical		
<b>,</b>	iquid	
-	colourless	
• • • • • •	odourless	
Melting point/freezing point:		<-96 °C
Boiling point or initial boiling point and		> 275 °C
boiling range:		
Lower explosion limits:		not determined
Upper explosion limits:		not determined
Flash point:		> 126 °C
Auto-ignition temperature:		> 420 °C
Decomposition temperature:		not determined
pH-Value:		not applicable
Viscosity / kinematic: (at 25 °C)		6 mm²/s
Water solubility:		Immiscible
Solubility in other solvents		
not determined		
Partition coefficient n-octanol/water:	SECTION 12: Ecolo	gical information
Vapor pressure:		6 hPa
(at 20 °C)		
Vapor pressure:		23 hPa
(at 50 °C)		
Density:		0,92 g/cm <sup>3</sup>
Relative vapour density:		not determined
Other information		
Information with regard to physical hazar Explosive properties	d classes	
none		
Sustaining combustion:	Not sustai	ning combustion
Self-ignition temperature		

not determined

Gas: Oxidizing properties none

Other safety characteristics

Page 4 of 10

Page 5 of 10

## Safety Data Sheet

according to 29 CFR 1910.1200(g)

## SilOil, M80.100/250.03

not determined

7.5 mPa⋅s

Evaporation rate: Solvent separation test: Solvent content: Solid content: Sublimation point: Softening point: Pour point: Viscosity / dynamic: (at 0 °C) Flow time:

#### 10. Stability and reactivity

#### **Reactivity**

No hazardous reactions known.

### **Chemical stability**

Stability:

Stable

The product is chemically stable under recommended conditions of storage, use and temperature.

Will not occur

## Possibility of hazardous reactions

Hazardous reactions:

Refer to chapter 10.5.

#### Conditions to avoid

UV-radiation/sunlight. heat. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Take precautionary measures against static discharges.

#### Incompatible materials

Materials to avoid: Oxidizing agents, strong. Reducing agents, strong.

## Hazardous decomposition products

Can be released in case of fire: Carbon monoxide (CO), Carbon dioxide (CO2), Silicon dioxide (SiO2) Measurements have shown that at temperatures above approx. 150 °C a small amount of formaldehyde is split off by oxidative decomposition.

## 11. Toxicological information

#### Route(s) of Entry

Ingestion: May be harmful if swallowed. Inhalation: May be harmful if inhaled. Skin contact: May cause irritation. Eye contact: May cause irritation.

## Information on toxicological effects

## Toxicocinetics, metabolism and distribution

No data available.

Acute toxicity

according to 29 CFR 1910.1200(g)

## SilOil, M80.100/250.03

Revision date: 07/21/2023

Page 6 of 10

Based on available data, the classification criteria are not met.

Acute oral toxicity Parameter: LD50 Exposure route: dermal Species: Rat Effective dose: > 5000 mg/kg By analogy.

Acute dermal toxicity Parameter: LD50 Exposure route: oral Species: Rat Effective dose: > 2000 mg/kg By analogy.

Acute inhalation toxicity The product has not been tested.

### **ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

### Irritation and corrosivity

Based on available data, the classification criteria are not met. parameter : Skin corrosion/irritation Species: Rabbit Exposure time : 24 h Result : non-irritant By analogy.

## Sensitizing effects

Based on available data, the classification criteria are not met. parameter : Skin sensitisation Species: Guinea pig Result : no danger of sensitization. Method : OECD 406

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met. The product has not been tested.

## Specific target organ toxicity (STOT) - single exposure

Based on available data, the classification criteria are not met. The product has not been tested.

## Specific target organ toxicity (STOT) - repeated exposure

Based on available data, the classification criteria are not met. The product has not been tested.

Carcinogenicity (OSHA): No ingredient of this mixture is listed.

Carcinogenicity (IARC):

No ingredient of this mixture is listed.

Carcinogenicity (NTP): No ingredient of this mixture is listed.

## Aspiration hazard

Based on available data, the classification criteria are not met. The product has not been tested.

## Specific effects in experiment on an animal

No data available.

#### Information on other hazards

according to 29 CFR 1910.1200(g)

## SilOil, M80.100/250.03

Revision date: 07/21/2023

## Endocrine disrupting properties

No data available.

### 12. Ecological information

### **Ecotoxicity**

Acute (short-term) fish toxicity Parameter: LC0 Species: Leuciscus idus (golden orfe) Effective dose: 200 mg/L Exposure time: 96 h By analogy.

Chronic (long-term) fish toxicity Parameter: NOEC Species: Oncorhynchus mykiss (Rainbow trout) Effective dose: > 10000 mg/L Exposure time: 28 d By analogy.

Acute (short-term) toxicity to crustacea Parameter: EC0 Species: Daphnia magna (Big water flea) Effective dose: > 0,0001 mg/L Exposure time: 48 h By analogy.

Acute (short-term) toxicity to aquatic algae and cyanobacteria Parameter: IC50 Species: Skeletonema costatum Effective dose: > 100000 mg/L Exposure time: 72 h By analogy.

Effects in sewage plants

When low concentrations are discharged correctly into adapted biological sewage treatment plants, interference with the degradation activity of activated sludge is not likely.

#### Persistence and degradability

The product can be eliminated from water by abiotic processes, e.g. adsorption on activated sludge. Not easily bio-degradable (according to OECD-criteria).

## **Bioaccumulative potential**

No indication of bioaccumulation potential.

#### Mobility in soil

No data available.

## Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

#### Other adverse effects

No data available.

## **Further information**

Do not allow to enter into surface water or drains.

Page 7 of 10

according to 29 CFR 1910.1200(g)

## SilOil, M80.100/250.03

Revision date: 07/21/2023

Page 8 of 10

### 13. Disposal considerations

## Waste treatment methods

## **Disposal recommendations**

Observe in addition any national regulations! Consult the local waste disposal expert about waste disposal. Non-contaminated packages may be recycled.

#### RCRA Hazardous wastes (Resource Conservation and Recovery Act)

None

## Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

## 14. Transport information

U.S. DOT 49 CFR 172.101	
Proper shipping name:	Not a hazardous material with respect to these transport regulations. &&
	Not controlled under DOT
Marine transport (IMDG)	
UN number or ID number:	No dangerous good in sense of this transport regulation.
UN proper shipping name:	No dangerous good in sense of this transport regulation.
Transport hazard class(es):	No dangerous good in sense of this transport regulation.
Packing group:	No dangerous good in sense of this transport regulation.
Air transport (ICAO-TI/IATA-DGR)	
UN number or ID number:	No dangerous good in sense of this transport regulation.
UN proper shipping name:	No dangerous good in sense of this transport regulation.
Transport hazard class(es):	No dangerous good in sense of this transport regulation.
Packing group:	No dangerous good in sense of this transport regulation.
Environmental hazards	
ENVIRONMENTALLY HAZARDOUS:	No
Special precautions for user	
refer to chapter 6 - 8	
Transport in bulk according to Annex II of M	IARPOL 73/78 and the IBC Code
not relevant	

#### \_\_\_\_\_

## 15. Regulatory information

#### U.S. Regulations

#### National Inventory TSCA

Poly(oxy(dimethylsilylene)), Siloxanes and Silicones, Me Ph listed in the TSCA inventory 8 (b): (x) active, Poly(oxy(dimethylsilylene)), Siloxanes and Silicones, Me Ph not listed under TSCA 12(b)

#### State Regulations

#### Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65, State of California)

This product can not expose you to chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

This mixture is classified as not hazardous according to Regulation 29 CFR Part 1910.1200.

## 16. Other information

Hazardous Materials Identification System (HMIS)		
Health:	0	
Flammability:	1	

according to 29 CFR 1910.1200(g)

# SilOil, M80.100/250.03

	SIIOII, 100/250.03	
vision date: 07/21/2023		Page 9 of
Physical Hazard:	0	
Personal Protection:	-	
NFPA Hazard Ratings		
Health:	0	
Flammability:	1	
Reactivity:	0	
Unique Hazard:	-	$\sim$
Changes		
Revision date:	07/21/2023	
Revision No:	2,0	
Rev. 1,0; Initial release: 25,0 Rev. 2,0; Revision: 21.07.20	9.2020	
Abbreviations and acronyms		
-	of Governmental Industrial Hygienists	
ASTM: American Society for		
ATE: acute toxicity estimate	č	
BCF: Bio concentration facto		
ECHA: European Chemicals		
CAS: Chemical Abstracts Se		
CFR: Code of Federal Regul		
DOT: Department of Transpo d: days	lalion	
EC50: Half maximal effective	concentration	
EN: European Norm		
EPA: Environmental Protection	n Agency	
	stem of Classification and Labelling of Chemicals	
h: hours	-	
HMIS: Hazardous Materials I	entification System	
	NCY FOR RESEARCH ON CANCER	
IBC: Intermediate Bulk Conta		
IMDG: International Maritime		
IATA: International Air Trans	ort Association Regulations by the "International Air Transport Asso	aciation" (IATA)
ICAO: International Civil Avia		
	is by the "International Civil Aviation Organization" (I	CAO)
	stem of Classification and Labelling of Chemicals	,
LOAEL: Lowest observed ad		
LOAEC: Lowest observed ac	erse effect concentration	
LC50: Lethal concentration,	•	
LD50: Lethal dose, 50 percer		
MARPOL: marine pollution	affect lovel	
NOAEL: No observed advers NOAEC: No observed advers		
NOAEC: No observed advers		
N/A: not applicable	J. C. I. J. J. J. C. I. J.	
NFPA: National Fire Protection	n Association	
UN: United Nations		
OECD: Organisation for Eco	omic Co-operation and Development	
OSHA: Occupational Safety		
PBT: Persistent bioaccumula		
RTECS: Registry of Toxic Ef		
-	ion, Authorisation and Restriction of Chemicals	
	ts and Reauthorization Act	

according to 29 CFR 1910.1200(g)

## SilOil, M80.100/250.03

Revision date: 07/21/2023

Page 10 of 10

STEL: short-term exposure limits TSCA: Toxic Substances Control Act TWA: time weighted average VOC: Volatile Organic Compounds

#### Other data

Classification according 29 CFR Part 1910.1200: - Classification procedure: Health hazards: Calculation method. Environmental hazards: Calculation method. Physical hazards: On basis of test data and / or calculated and / or estimated.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)